Refine Search

Search Results -


Terms	Documents
L21 and (LED or light emit\$4)	0

Database:

US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

US Pre-Grant Publication Full-Text Database

Search:









Search History

DATE: Tuesday, January 29, 2008 Purge Queries Printable Copy Create Case

Set Name Query side by side	<u>Hit</u> <u>Count</u>	Set Name result set
DB=USPT; PLUR=YES; OP=ADJ		
L22 L21 and (LED or light emit\$4)	0	<u>L22</u>
<u>L21</u> 6641305.pn.	1	<u>L21</u>
DB=USOC, $EPAB$, $JPAB$, $DWPI$; $PLUR=YES$; $OP=ADJ$		
<u>L20</u> 8301168	8	<u>L20</u>
DB = PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR = YES; OP = ADJ		
<u>L19</u> L1 and (water near presence) and L14	3	<u>L19</u>
<u>L18</u> L1 and (water near presence)	88	<u>L18</u>
<u>L17</u> L1 and (water near present)	0	<u>L17</u>
L14 and (sens\$3 near actuat\$3 or sens\$3 near activat\$3 or sens\$3 near switch\$3)	16	<u>L16</u>
L15 L14 and (tap near open\$3)	.0	<u>L15</u>
<u>L14</u> 374/147	359	<u>L14</u>
<u>L13</u> sensor near actuated near water flow	0	<u>L13</u>


<u>L12</u>	sensor near switch\$3 near water flow	0	<u>L12</u>
<u>L11</u>	L10 and (sensor near switch\$3 or sensor near power or sensor near actuat\$3)	83	<u>L11</u>
<u>L10</u>	L9 and (temperature sens\$3 or thermometer or thermal sens\$3 or thermal probe or thermal detector or temperature detect\$3 or thermal\$2 detect\$3 or temperature probe or light emitting diode or thermal\$2 diode)	2291	<u>L10</u>
<u>L'9</u>	L1 and (tap or bath or water outlet or shower or faucet or tub or washer or washing machine or spout)	3777	<u>L9</u>
<u>L8</u>	L3 and (sensor near switch\$3 or sensor near power or sensor near actuat\$3)	82	<u>L8</u>
<u>L7</u>	L3 and (water near flow near sens\$3)	3	<u>L7</u>
<u>L6</u>	L3 and (water flow sens\$3)	2	<u>L6</u>
<u>L5</u>	L4 and (water flow sensor)	0	<u>L5</u>
<u>L4</u>	L3 and (sensor near switch\$3 or sensor near power)	54	<u>L4</u>
<u>L3</u>	L2 and (temperature sens\$3 or thermometer or thermal sens\$3 or thermal probe or thermal detector or temperature detect\$3 or thermal\$2 detect\$3 or temperature probe or light emitting diode or thermal\$2 diode)	2253	<u>L3</u>
- <u>L2</u>	L1 and (tap or bath or water outlet or shower or faucet or tub or washer or washing machine)	3713	<u>L2</u>
<u>L1</u>	374/\$.ccls.	36185	<u>L1</u>

END OF SEARCH HISTORY

Show Saved Searches Page 1 of 8

Searches for User *gverbitsky* (Count = 54760)

Queries 54711 through 54760.





S	# L	Jpdi	t Database	Query	Time	Commen
<u>S54</u>	760	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD((374/\$.ccls. and	2008-	
					01-29	
		•		water outlet or	12:50:19)
			S	shower or faucet or		
			t	ub or washer or		
				washing machine or		
				spout) and		
				(temperature sens\$3		
				or thermometer or		
				thermal sens\$3 or		
				hermal probe or		
			t	hermal detector or		
				emperature		
				letect\$3 or		
				hermal\$2 detect\$3		
				or temperature		
				probe or light		
				emitting diode or		
				hermal\$2 diode))		
l				and (magnetic near		
				urbine or		
				nduction)		
S54	<u>759</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD(2008-	
					01-29	_
			The state of the s	urbine or	12:48:47	
				nduction)		
<u>S54</u>	<u>758</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD(2008-	
			•		01-29	
				generator) and	12:47:21	
			•	direct current or		
				DC)) and		
	-			magnetic or		
				nduction)		
<u>S54</u>	<u>757</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD(2008-	
1			(transformer or	01-29	
₿I						

			generator) and	12:46:54
	•		(direct current or DC)	
<u>S54756</u>	<u>U</u>	USPT	(6641305.pn.) and (LED or light	01-29
<u>S54755</u>	<u>U</u>	USPT	emit\$4) 6641305.pn.	12:44:17 2008- 01-29
<u>S54754</u>	<u>U</u>	USOC,EPAB,JPAB,DWPI	8301168	12:43:58 2008- 01-29
S54753	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(374/\$.ccls.) and	12:38:25 2008-
			(water near presence) and (374/147)	01-29 12:30:46
<u>S54752</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(374/\$.ccls.) and (water near presence)	2008- 01-29 12:30:09
<u>S54751</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	* /	2008-
<u>854750</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(374/147) and (sens\$3 near actuat\$3 or sens\$3 near activat\$3 or	2008- 01-29 12:14:01
			sens\$3 near switch\$3)	
<u>S54749</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(374/147) and (tap near open\$3)	2008- 01-29 12:13:08
<u>S54748</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	374/147	2008- 01-29 12:12:52
<u>S54747</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD		12008- 01-29
<u>S54746</u>	<u>Ù</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	switch\$3 near water	
<u>S54745</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(tap or bath or water outlet or shower or faucet or tub or washer or washing machine or	12:12:06 2008- 01-29 11:55:15
			spout) and (temperature sens\$3 or thermometer or	3

		th th te de de th or pri en th an sv	hermal sens\$3 or hermal probe or hermal detector or emperature letect\$3 or hermal\$2 detect\$3 or temperature brobe or light mitting diode or hermal\$2 diode)) nd (sensor near witch\$3 or sensor lear power or ensor near ctuat\$3)	
<u>S54744</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD (3 kg sl	374/\$.ccls. and tap or bath or vater outlet or hower or faucet or ub or washer or	2008- 01-29 11:54:32
		sp (t	vashing machine or pout)) and temperature sens\$3 or thermometer or hermal sens\$3 or	
		th th te d	hermal probe or hermal detector or emperature letect\$3 or	
		o p e th	hermal\$2 detect\$3 or temperature brobe or light mitting diode or hermal\$2 diode)	
<u>S54743</u>	<u>U</u>	w sl tu w	tap or bath or	2008- 01-29 11:53:53
<u>S54742</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD (2 w sl	374/\$.ccls. and tap or bath or	2008- 01-29 11:51:36

Page 4 of 8

thermal sens\$3 or thermal probe or thermal detector or temperature detect\$3 or thermal\$2 detect\$3 or temperature probe or light emitting diode or thermal\$2 diode)) and (sensor near switch\$3 or sensor near power or sensor near actuat\$3) PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD (374/\$.ccls. and 2008-S54741 (tap or bath or 01-29 water outlet or 11:51:03 shower or faucet or tub or washer or washing machine) and (temperature sens\$3 or thermometer or thermal sens\$3 or thermal probe or thermal detector or temperature detect\$3 or thermal\$2 detect\$3 or temperature probe or light emitting diode or thermal\$2 diode)) and (water near flow near sens\$3) PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD(374/\$.ccls. and 2008-S54740 01-29 (tap or bath or water outlet or 11:50:38 shower or faucet or tub or washer or washing machine) and (temperature sens\$3 or thermometer or thermal sens\$3 or thermal probe or thermal detector or temperature detect\$3 or

Show Saved Searches Page 5 of 8

thermal\$2 detect\$3 or temperature probe or light emitting diode or thermal\$2 diode)) and (water flow sens\$3) S54739 PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD (374/\$.ccls. and 2008-01-29 (tap or bath or water outlet or 11:50:15 shower or faucet or tub or washer or washing machine) and (temperature sens\$3 or thermometer or thermal sens\$3 or thermal probe or thermal detector or temperature detect\$3 or thermal\$2 detect\$3 or temperature probe or light emitting diode or thermal\$2 diode) and (sensor near switch\$3 or sensor near power)) and (water flow sensor) PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD(374/\$.ccls. and S54738 2008-(tap or bath or 01-29 water outlet or 11:49:55 shower or faucet or tub or washer or washing machine) and (temperature sens\$3 or thermometer or thermal sens\$3 or thermal probe or thermal detector or temperature detect\$3 or thermal\$2 detect\$3 or temperature probe or light emitting diode or thermal\$2 diode)) and (sensor near

Show Saved Searches Page 6 of 8

			switch\$3 or sensor near power)	
<u>854737</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(374/\$.ccls. and (tap or bath or water outlet or shower or faucet or tub or washer or washing machine)) and (temperature sens\$3 or thermometer or thermal sens\$3 or thermal detector or	2008- 01-29 11:48:26
			temperature detect\$3 or thermal\$2 detect\$3 or temperature probe or light emitting diode or thermal\$2 diode)	
<u>S54736</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	•	2008- 01-29 11:46:40
<u>S54735</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	•	2008- 01-29 11:45:29
S54734	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB	((374/141,147,148)! [CCLS]) and (flow sens\$3)	
S54733	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB	((374/141,147,148)! [CCLS]) and (water near valve)	01-29
<u>S54732</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB	((374/141,147,148)! [CCLS]) and (water near open)	2008- 01-29
<u>S54731</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB	((374/141,147,148)! [CCLS]) and (open	2008- 01-29
<u>S54730</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB	or closed) ((374/141,147,148)! [CCLS]) and (tap near open or tap near closed)	
<u>S54729</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB	(374/141,147,148)! [CCLS]	2008- 01-29 11:18:46